






















Mixed Reef (18239A)



Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Hg	0.00 µg/l	0 µg/l	-0.10		400
Se	0.00 µg/l	0 µg/l	-0.10		400
Cd	0.00 µg/l	0 µg/l	-0.10		400
Sn	0.00 µg/l	0 µg/l	-0.10		400
Sb	0.00 µg/l	0 µg/l	-0.10		400
As	0.00 µg/l	0 µg/l	-0.10		400
Al	0.00 µg/l	2.00 µg/l	-2.00		400
Pb	0.00 µg/l	0 µg/l	-0.10		400
Ti	0.00 µg/l	0 µg/l	-0.10		400
Cu	0.00 µg/l	0 µg/l	-0.10		400
La	0.00 µg/l	0 µg/l	-0.10		400
Sc	0.00 µg/l	0 µg/l	-0.10		400
W	0.00 µg/l	0 µg/l	-0.10		400




Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Na	11296.00 mg/l	10700.00 mg/l	596.00		400
Ca	474.00 mg/l	440.00 mg/l	34.00		400
Mg	1446.00 mg/l	1370.00 mg/l	76.00		400
K	413.00 mg/l	400.00 mg/l	13.00		400
Br	42.00 mg/l	62.00 mg/l	-20.00		400
B	3.81 mg/l	4.50 mg/l	-0.69		400
Sr	7.60 mg/l	8.00 mg/l	-0.40		400
S	920.00 mg/l	900.00 mg/l	20.00		400





Mixed Reef (18239A)






Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Li	246.00 µg/l	200.00 µg/l	46.00		400
Ni	0.00 µg/l	5.00 µg/l	-5.00		400
Mo	24.00 µg/l	12.00 µg/l	12.00		400



I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
V	0.00 µg/l	1.20 µg/l	-1.20		400
Zn	0.00 µg/l	4.00 µg/l	-4.00		400
Mn	0.00 µg/l	2.00 µg/l	-2.00		400
I	0.00 µg/l	60.00 µg/l	-60.00		400


Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Cr	0.00 µg/l	0 µg/l	-0.10		400
Co	0.00 µg/l	0 µg/l	-0.10		400
Fe	1.54 µg/l	0 µg/l	1.44		400

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Ba	67.00 µg/l	10.00 µg/l	57.00		400
Be	0.00 µg/l	0 µg/l	-0.10		400



Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Si	96.00 µg/l	100.00 µg/l	-4.00		400

Mixed Reef (18239A)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
P	4.01 µg/l	6.00 µg/l	-1.99		400
PO4	0.012 mg/l	0.018 mg/l	-0.006		400